

SLIMBox Series

Wall Mounted 19"
Distribution Racks
W=600mm D=200mm





SLIMBox Series - Wall Mounted 19" Distribution Racks W=600mm D=200mm

Wall Mounted 19" SLIMbox Distribution Cabinets Allow Vertical Mounting With 2 Independent Mounting Areas for Patch Panels, Switches, Hubs, Routers and Any 19" Active Devices D= 200mm

Features:

- Seperately locking hinged body.
- Upper bay mounts patch panels and pivots 100°.
- Lower bay mounts switches, hubs, routers and pivots.
- Punched knockouts in the backpan with plastic cover for cable entry:
 - Top and bottom 145x70 mm
 - Right and left 145x70 mm
 - Punched knockouts in body of backpan with plastic cover for

cable entry: 145x70 mm

- One bottom located fan mounting position with guard. (fan not included.
- Vented front for ventilation.
- Abundant cable tie points included for cable management.
- Available in a durable texture electrostatic powder paint
- 70-90µm thickness
- 500 hours of Salt Spray test resistance
- Adhesion capability EN ISO 2409 : Class 0 to 1
- RAL7035 or RAL9005
- Max. Loading capacity: 100 kg

Standarts:

- ISO 9001:2008
- TSE:EN 61587-1 Mechanical Structures For Electronic Equipment Tests For IEC 60917 And IEC 60297
- Climatic and Environment: EN 61587-1/4.2,IEC60068-2-1, IEC60068-2-2, IEC60068-2-30,
- Static Mechanical Load Lifting: EN61587-1/5.2.1
- Static Mechanical Load Stiffness: EN61587-1/5.2.2
- Dynamic Mechanical Load Vibration and Shock , Impact:

EN61587-1/5.3.1,EN61587-1/5.3.3,IEC60068-2-6, IEC60068-2-27,

- Earth Bond: EN61587-1/6.2
- Flammability: EN61587-1/6.3
- Degrees Of Protection Provided By Enclosures (Ip Code): IP20, $\,$

EN61587-1/6.4






Shown With Equipment in Service Position







SLIMBox Series - Wall Mounted 19" Distribution Racks W=600mm D=200mm Wall Mounted 19" SLIMbox Distribution Cabinets Allow Vertical Mounting With 2 Independent Mounting Areas for Patch Panels, Switches, Hubs, Routers and Any 19" Active Devices D= 200mm




BOTTOM VIEW








SIDE VIEW



ISOMETRIC VIEW




TOP VIEW

SLIMBox Series - Wall Mounting 19" Distribution Racks W=600mm D=200mm (SLIM design)										
Catalog Code	Series	Product Description	Width (W mm)	Depth (D mm)	Height (H mm)	Cable Entry (pcs)	Lock (pcs)	Hinge (pcs)		
LN-WM SLM 33U-CC	SlimBOX	3U Vertical Assembly + 3U Horizontal 19" Wall Mounting Distribution Cabinet	600	200	900	6	1	2		

^{**} CC= Color Code please define while ordering the color code as LG Light Grey RAL 7035, BL Black RAL 9005






EXPLODED VIEW

Shipping Configuration							
Part Definition	Material Quality	Material Thickness (mm)	Shipment Configuration				
Main body (Structure)	DIN EN 10130-DC-01-6112 CRS	1	1				
Door	DIN EN 10130-DC-01-6112 CRS	1	1				
19" Rack rail bracket	DIN EN 10130-DC-01-6112 CRS	1,5	2				
19" Rackrail	DIN EN 10130-DC-01-6112 CRS	1,5	4				
Cable mounting bracket	DIN EN 10130-DC-01-6112 CRS	1	2				





Packaging:

The rack distribution cabinets shall be packed with a cardboard box and placed on a wooden pallet (1100x1300mm). Vertical corners are protected with 4 double bended cardboard sheets. Covered with stretch film and labelled.

SLIMBOX Series - Wall Mounting 19" Distribution Racks - W:600 mm D=200mm - Packaging Details								
Catalog Code	Series	Product Description	Box Dimensions (HxWxD mm)	Pallet Dimensions (HxWxD mm)	Quantity on a pallet (pcs)			
LN-WM SLM 33U-CC	SlimBOX	3U Vertical assembly + 3U Horizontal assembly 19" Wall Mounting Distribution Cabinet	920x620x220	1600x1100x1300	14			

^{**} CC= Color Code please define while ordering the color code as LG Light Grey RAL 7035, BL Black RAL 9005

