## NETbox SLIM 19" Network Wall Mounting C A B I N E T s





Width: 520 mm. Depth: 480 mm.

### Width=520mm Depth=480mm

Standard Heights:

2 Different U Heights: 3U + 5U : 8U 5U + 5U : 10U

Standards, and Compliances



ISO 9001:2008 Quality Management System

EN 61587 -1:2012 Mechanical Structures for Electronic Equipment

IEC 297-1, 19" mounting IEC 297-2 Overall cabinet dimentions



**CE conform to** EN 60950-1:2006 Information Technology Equipment – Safety – Part-1-General Requirements



Environment Friendly; \*Environmental awareness \*RoHS compliancy \*% 100 Recyclable Material



NETbox SLIM series Wall Mounting Networking Enclosures, with 19" w:520mm and d:480mm physical sizes, with less depth need in environmentally fit especially for residential applications and wide application of 19" usage.

All Lande NETbox SLIM Wall cabinets are being delivered as a single piece pre-assembled enclosure, with standard factory



### settings.

For Decoratively fitting to environment of your living areas, the cabinet has been integrated with highly modern, art fragrant parts and accessories. For door and panel variations for different purpose of usage.

\*\*\* Please see door options at the end of each product size.

### Standard Color: Front section:



**Rear Section:** 



RAL 7016 Antracite Grey

# 19" NETbox SLIM Wall Mounting Cabinets 5 U + 5 U : 10 U

## NETbox SLIM Wall Mounting Cabinet Features , Construction Details:

Monoblock construction provides better stability.

The NETbox SLIM Wall Mounting is for that situation where quick access to the equipment is of primar importance. It is designed to house 19" standard mounting devices, in environmentally fit needs especially in Residential applications and villas, modern and elegant offices, hotel reception and living areas

The NETbox SLIM Wall Mounting cabinet offers an assembly-friendly solutions for numeroues applications in the field of network technology and electronics.

The 5U +5U :10U NETbox SLIM Wall Mounting cabinet Front door is splitted metal front door, with barrel lock on top and bottom.



### Cable access

\*Multiple knock-out cable entry points on top and bottom with 40x104mm size and 2 pcs knock-out cable entry points 40x104mm at rear side.

### 5U+5U=10 U version

19" Rails are horizontal and vertical configuration on the cabinet, 5U horizontal - 5U vertical. 19" rails are sliding at a channel of 20mm.

\*\*\* All 19" rails are connected to cabinet with wing nuts, which gives advantage of toolless application at site works.









